

## 2020 QCDR MEASURE

**CMS Measure ID** IROMS12      **National Quality Forum (NQF) number** NA

**Name or title of measure** Failure to Progress (FTP): Proportion of patients failing to achieve a Minimal Clinically Important Difference (MCID) in improvement in pain score, measured via the Numeric Pain Rating Scale (NPRS), in revalidation patients with knee injury pain

**Measure Description** The proportion of patients failing to achieve MCID of two (2) points or more improvement in the NPRS change score for patients with knee injuries treated during the observation period will be reported.

Additionally, a risk-adjusted MCID proportional difference will be determined by calculating the difference between the risk model predicted and observed MCID proportion will reported for each physical therapist or physical therapy group. The risk adjustment will be calculated using a logistic regression model using: baseline KOS score, baseline pain score, age, sex, payer, and symptom duration (time from surgery or injury to baseline physical therapy visit).

These measures will serve as a physical or occupational therapy performance measure at the eligible physical or occupational therapist or physical or occupational therapy group level.

**National Quality Strategy (NQS) domain** Effective Clinical Care

**Measure type** Patient Reported Outcome (PRO)

**Meaningful Measure Area** Functional Outcomes

**High priority status** Yes

**Denominator** The total number of all patients with knee injury evaluated and treated by a PT or OT, or PT or OT Group, during the observation window.

**Numerator** The total number of patients with knee injuries to not achieve an MCID in their NPRS change score (MCID >2) from their initial visits to their final visits in PT/OT practice or PT/OT group during the observation window.

### **Denominator exclusions**

- Patients who are < 18 years old
- Patients who did not complete 2 or more surveys
- Patients that are non-English speaking and translation services are unavailable
- Patients that are unable to read

- Patients that have a mental or cognitive impairment that compromises their ability accurately complete the MIPS PRO
- Patients meeting Medicare requirements for maintenance therapy, such as the maintenance of functional status or prevention of a slow deterioration in function, as defined by the Medicare Benefits Policy Manual, Chapter 15

**Denominator exceptions** PT/OT can use their clinical judgement to exclude patients who are extremely medically complex, who in their experience are likely to make poor clinical progress.

**Is this measure risk adjusted** Yes

**Number of performance rates required for measures** 6 (2<sup>nd</sup> rate is reported)

- 1) Overall proportion of patients achieving an MCID in NPRS change score will be reported.
- 2) A risk-adjusted MCID proportional difference will be reported where the difference between the risk model predicted and observed MCID (measured via NPRS) proportion will reported.

For operative (surgical) patients:

- 3) The proportion of patients not achieving an MCID in NPRS change score will be reported.
- 4) A risk-adjusted MCID proportional difference will be reported where the difference between the risk model predicted and observed MCID (measured via NPRS) proportion will reported.

For non-operative (non-surgical) patients:

- 5) The proportion of patients not achieving an MCID in NPRS change score will be reported.
- 6) A risk-adjusted MCID proportional difference will be reported where the difference between the risk model predicted and observed MCID (measured via NPRS) proportion will reported.

**Traditional vs. inverse measure** Inverse

**Proportional, continuous variable, outcome, and ratio measure indicator** Proportional measure